

Notice of Allowability

Application No.

10/688,868

Examiner

Demetrius R. Pretlow

Applicant(s)

PARKS ET AL.

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed October 17, 2003.
2. ☒ The allowed claim(s) is/are 1-26.
3. ☒ The drawings filed on 17 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2/17/04, 2/7/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Allowable Subject Matter

Claims 1-26 are allowed.

The best prior art of record, particularly Chandler et al. (US 6,592,822 B1), teach a multi-analyte diagnostic system for use with a computer. The diagnostic system includes a flow analyzer including a co-planar light source-optical detector array, the flow analyzer being communicatable with the computer. However Chandler et al. does not teach the following claim limitations.

The primary reason for the allowance of claims 1-23 is the inclusion of the method steps of scaling said raw data using at least one scaling function that provides substantially linear transformations for data values proximal to zero and substantially logarithmic transformations for other data values to generate scaled data; and, using said scaled data to identify portions of said raw data of interest. It is these steps found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

The primary reason for the allowance of claims 24-26 is the inclusion of the limitations of an (b) at least one computer operable connected to said flow cytometer, said computer having system software comprising one or more logic instructions for: receiving raw data in said computer, said raw data comprising data from a plurality of light detectors of a flow cytometry system; and scaling said raw data using at least one scaling function that provides substantially linear transformations for data values

Art Unit: 2863

proximal to zero and substantially logarithmic transformations for other data values to generate scaled data. It is these limitations found in each of the claims, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Demetrius R. Pretlow whose telephone number is (703) 272-2278. The examiner can normally be reached on Mon.-Fri. 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Demetrius R. Pretlow
Patent Examiner

Demetrius Pretlow
3/20/05

John Barlow
Super
Ter
John Barlow
Examiner
30